



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

October 31, 1902

number of cases from the beginning of the epidemic to October 5, was 43, with 15 deaths.

J. M. EAGER,
Passed Assistant Surgeon.

The SURGEON-GENERAL.

JAPAN.

Report from Yokohama—Evasion of quarantine restrictions in regard to passengers and freight for United States ports.

YOKOHAMA, JAPAN, September 27, 1902.

SIR: Referring to inclosed supplementary statement of the transactions at this station during the period from July 1 to September 15, 1902, I have the honor to state that there have been no noteworthy changes in the personnel, equipment, or methods described in a previous report. Unforeseen delays in the erection of an improved disinfecting plant have taken place, but it is hoped that this needed improvement will soon be accomplished.

I respectfully invite the attention of the Bureau to the difficulty of enforcing restrictive measures as to passengers and freight bound for the United States (apart from Hawaii and the Philippines), much more exacting than those required by the Canadian authorities. This office is informed that passengers evade these restrictions by taking passage to Canadian ports whence they can readily pass into the United States.

Respectfully,

DUNLOP MOORE,
Assistant Surgeon.

The SURGEON-GENERAL.

[Inclosure.]

Report of transactions at Yokohama for the period from July 1, 1902, to September 15, 1902.

Number of bills of health issued	49
Number of vessels inspected.....	46
Number of bills of health issued without inspection	3
Number of crew inspected.....	3,846
Number of passengers inspected	4,695
Number of passengers bathed and body clothing disinfected.....	1,939
Number of crew bathed and body clothing disinfected.....	23
Number of pieces of baggage disinfected and labeled.....	2,531
Number of pieces of baggage inspected and labeled	17
Number of packages of freight disinfected and labeled.....	23

MEXICO.

Reports from Progreso—Yellow fever in Merida .

PROGRESO, MEXICO, September 25, 1902.

Week ended September 12, 1902.—Present officially estimated population, 5,000. Number of cases and deaths from yellow fever, 3 cases, no deaths. No deaths or cases of other quarantinable diseases. Total deaths, 4. No deaths from communicable diseases. Eight cases and 2 deaths from yellow fever in Merida were reported during the week.

Week ended September 19, 1902.—Number of cases and deaths from yellow fever, 3 cases, 2 deaths. No deaths or cases of other quarantinable diseases. Total deaths from all causes, 7. Several cases of yellow fever and 3 deaths are reported in Merida during the week.

Week ended September 26, 1902.—Number of cases and deaths from yellow fever, 1 case, no deaths. There are no cases or deaths from other quarantinable diseases. The sanitary condition of the port remains

unchanged. Total number of deaths, 8. Twenty health certificates were issued to passengers for United States and Cuba, and 4 vessels, 150 officers and crew, and 40 passengers with their effects were inspected.

EDWARD T. HARGRAVE,
Acting Assistant Surgeon.

The SURGEON-GENERAL.

Report from Tampico for the week ended October 18, 1902—Yellow fever.

TAMPICO, MEXICO, October 20, 1902.

Total number of deaths 10, of which 4 were due to yellow fever. The cases of yellow fever have come from various sections of the city, so that the infection is probably scattered. Since the appearance of this disease in the city there have been in all 6 deaths caused by it.

JOS. GOLDBERGER,
Assistant Surgeon.

The SURGEON-GENERAL.

Foreign and insular statistical reports of countries and cities—Yearly and monthly.

BAHAMAS—*Dunmore Town.*—Two weeks ended October 10, 1902. Estimated population, 1,232. One death. No contagious diseases.

Governors Harbor.—Week ended October 11, 1902. Estimated population, 1,500. No deaths and no contagious diseases.

Green Turtle Cay—Abaco.—Four weeks ended October 8, 1902. Estimated population, 3,314. No deaths and no contagious diseases.

Inagua.—Three weeks ended September 15, 1902. Estimated population, 1,800. Total number of deaths not reported. No contagious diseases.

Nassau.—Two weeks ended October 11, 1902. Estimated population, 8,000. Number of deaths not reported. No contagious diseases reported.

DUTCH GUIANA—*Paramaribo.*—Month of August, 1902. Estimated population, 31,626. Total number of deaths, 92. No contagious diseases reported.

EAST AFRICA—*Lourenço Marquez.*—Month of August, 1902. Estimated population, 7,000. Total number of deaths, 28, including 2 from phthisis pulmonalis.

FRANCE—*Marseille.*—Month of September, 1902. Estimated population, 491,161. Total number of deaths, 739, including diphtheria, 1; enteric fever, 19; measles, 2; scarlet fever, 2; typhus, 1; whooping cough, 2, and 18 from smallpox.

Roubaix.—Month of September, 1902. Estimated population, 124,660. Total number of deaths, 181, including diphtheria, 2; enteric fever, 1; measles, 4; scarlet fever, 3, and 1 from whooping cough.

St. Etienne.—Two weeks ended September 30, 1902. Estimated population, 146,559. Total number of deaths, 124, including enteric fever, 2; whooping cough, 2, and 21 from tuberculosis.

GERMANY—*Dresden.*—Month of August, 1902. Estimated popula-